

ANNUAL REVIEW OF

ADDICTIONS

RESEARCH AND

TREATMENT

VOLUME 3

**SUBJECT
INDEX**



PERGAMON

ANNUAL REVIEW OF ADDICTIONS RESEARCH AND TREATMENT

Editors

James W. Langenbucher, PhD
Barbara S. McCrady, PhD
William Frankenstein, PhD
Center of Alcohol Studies
Rutgers University
Piscataway, NJ 08854

Peter E. Nathan, PhD
University of Iowa
Office of Academic Affairs
111 Jessup Hall
Iowa City, IA 52242

Board of Editorial Advisors

Floyd E. Bloom, MD
Research Institute of the Scripps Clinic

Charles S. Lieber, MD
Mount Sinai School of Medicine

A. Thomas McLellan, PhD
University of Pennsylvania

Eric Single, PhD
Addiction Research Foundation

Myrna M. Weissman, PhD
Columbia University

Editorial Offices: Center of Alcohol Studies, Smithers Hall, Busch Campus, Rutgers University, Piscataway, NJ 08854.

Editorial Assistant: Wendy Boswell

Production Editor: Alayne Bakken, E-mail: A.BAKKEN@ELSEVIER.COM

Publishing, Advertising, and Subscription Offices: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA, E-mail Address: ESUK.USA@ELSEVIER.COM; or Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, England.

Published 1 per annum: *Annual Institutional Subscription Rates 1994:* North, Central and South America, U.S.\$170.00, Rest of World £110.00. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Subject Index

Abstinence

- alternatives to in alcohol/drug control policy, 338
- commitment to and cocaine relapse, 38, 41, 44
- motivation for, 213-214

Addiction

- lay treatment of. *See* Self-help and self-directed change research funding for. *See* Mental illness and addictive disorders, research funding of

Adolescence

- drug use and premarital pregnancy/abortion in, 381-397. *See also* Drug use, as risk factor for teen pregnancy and abortion
- prediction of substance use in, 87-94, 121, 122. *See also* Substance abuse in adolescence

AIDS, in drug abuse-primary care treatment, 8-9

Alcohol

- legal availability and consumption of, 281-282
- sensitization/tolerance to. *See also* Sons of alcoholic father in sons of alcoholic father, 159-168

Alcohol abuse and dependence. *See also* Epidemiology of alcohol disorders; Etiology of alcoholism; Occupations and alcohol abuse/dependence

- diagnosis of, DIS/DSM-III in, 108
- epidemiology of, 71-86
- etiology of, 127-148
- occupations and, 103-119, 122
- prevalence of, 109
- studies of
 - age-at-onset in, 121
 - associated disability in, 121-122
 - posttreatment, 19-31
 - prevention of, 122
 - psychiatric epidemiology and, 121-122

Alcohol abuse and dependence treatment

- for alcohol-abusing workers, 263-274
- behavioral therapy for, 47-56, 66
- choice of modality, by alcohol-abusing worker, 264, 266, 271
- and health care cost reduction, 367-379. *See also* Health care cost reduction with alcoholism treatment
- naltrexone in postdetoxification, 57-64
- outpatient spouse-involved. *See* Behavior modification in alcoholism treatment
- personality and, 134-135
- posttreatment studies of
 - 1990: at 10 years, 22-34
 - early, 20-22

- functioning, long-term, 21-22, 25-29, 30-34

- stage effects of change and, 251, 2009

Alcohol consumption. *See also* Outlet density and alcohol sales advertising restrictions and, 288-289

availability and

- legal, for time and place, 281-282
- social, 289-290

movie and TV portrayal and, 289-290

outlet density and, 283-285, 307-321

outlet regulations and, 283-285, 307-321

price and excise taxes and, 280-281

product labeling and, 286-288. *See also* Warning labels

server training and, 285-286

state *versus* privatized distribution systems and, 282-283

warning labels and, 277, 288, 293-305

Alcohol content labeling, 287, 288. *See also* Warning labels on alcoholic beverages

Alcohol control policy(ies)

- commentary on, 323-324, 399-400
- distribution system structure, 282-283
- economic, price and taxes, 280-281
- legal availability, 281-282
- marketing, 288-289
 - freemarket forces and, 323-324
- outlet regulation, 283-285
- prevention research implications of
 - active strategies, 326-327
 - passive strategies, 325-326
- product content and packaging, 286-288
- for selling/servers, 285-286
- social availability, 289-290

Alcohol use, cognitive motivation and, predictive of problem drug use, 169, 179, 180, 181, 183, 184-185

Alcohol-abusing workers

- job outcomes posttreatment
 - measures and analyses of, 265, 269
- rehabilitation of
 - choice of treatment in, 264, 266, 271
 - compulsory AA only in, 263-264, 266, 267, 269, 274
 - compulsory hospitalization in, 263
 - supplemental hospitalization in, 264, 265, 267
- treatment options for, 210-212, 261-272, 274
 - cost of, 211-212, 269
- treatment outcomes in
 - cocaine use and, 267-268

- Alcohol-abusing workers (*continued*)
 drinking, 265, 267, 269
 job performance, 265-267, 269
 other drugs and group, 267-269
- Alcoholic Beverage Labeling Act (Public Law 100-690, 1988), 294
- Alcoholics Anonymous (AA)
 diffusion of
 alcohol specific factors in, 223
 as belief system, 222-223
 as interactional system, 222
 linguistic and cultural region and, 224, 227
 by nation: 1965-1986, 224, 225-226
 political system and dominant religion and, 224, 227
 preconditions in, extrinsic and intrinsic, 206-208, 222-228
 territorial gains in, recent, 227-228
 social and cultural preconditions and strength factors of, 206-208, 222-228
 for treatment of alcohol-abusing workers, 263-264, 266, 267, 268, 269, 274
- Alcoholism. *See* Alcohol abuse and dependence
- Alcoholism in women, 149-158. *See also* Twin study of alcoholism in women
- Alcohol-related problems. *See also* Alcohol control policy(ies)
 alcohol control policies and, 279-291
- Attention-deficit disorder and adolescent substance use, 93
- Autonomic nervous system, in etiology of alcoholism, 142-143
- Behavior modification
 in alcoholism treatment, 47-56, 66
 in cocaine abuse treatment, 6-7, 65-66
 in opiate-detoxification, 11-12, 66
 in spouse-involved alcoholism treatment, 47-56
 alcohol-focused, 47-56, 66
 drinking behavior in, 49-50
 drinking outcomes following, 50-51, 52
 drinking-related impairment in, 51-52
 marital functioning and, 52-53
 marital satisfaction and, 52, 53-54
 marital therapy plus alcohol-focused, 49, 50, 51, 52, 53-54, 55
 subjective satisfaction and, 53, 54
 stages of change in, 208-209, 246-248, 257. *See also* Change, in addictive behaviors
- Cannabis use and decriminalization, 337
- Change
 in addictive behaviors, 209, 245-260, 273, 298
 definitions and interventions in, 253
 mismatched stage effects and treatment, 209, 251
 relapse, 249
 spiral pattern of, 249-250
 treatment implications, 249-250
 process of
 integration with stages of change, 254-258
 as predictor of change, 253-254
 self-directed. *See* Self-help and self-directed change
 stages of behavior modification in, 208-209, 246-248, 257
- Cocaine abuse
 adjunctive pharmacotherapy for, 4-6
 behavioral interventions for, 6-7, 65-66
 pharmacobehavioral therapy for, 7-8
 pharmacotherapy for, 65
 by workers and treatment outcomes, 267-268
- Cocaine relapse posttreatment, 35-45, 67
 abstinence commitment and, 38, 41, 44
 coping strategies and, 39, 42, 43
 negative events and, 38-39
 physical symptoms and, 43
 positive mood and, 41-42, 44
 stress and, 42, 43, 44
- Codependency
 epidemic of, 201-202
 women's problems with, 203-204
- Cognitive motivation and drug use, 169-187
 analysis in, 176-177
 definitions in, operational, 186-187
 expectancy-behavior relations theories and, 170-172, 181-182, 190
 generalization in drug expectancies in, 172-173, 183
 measures in, 174-175
 results in, 176-180
 vulnerability toward problem drug use and, 173, 181, 183-184
- Collaborative Alcohol-Related Longitudinal Project, 95-101
 analysis procedures in, 99
 individual studies in, 96-98
 perspectives in, internal and external, 99
 research agendas in, 99, 100
 study selection in, 96
- Conduct disorder
 adolescent substance abuse and
 correlation with substance, 91, 94
 prediction of, 92-93
- Context
 of alcohol use
 in sons of alcoholic fathers, 167
 of drug use, 343-355
 life
 and functioning postalcoholism treatment, 27-29, 30-31
- Coping strategies
 cocaine relapse and, 39, 42, 43
 posttreatment functioning in alcoholism and, 28, 29, 31-34
- Cost. *See also* Health care cost reduction with alcoholism treatment
 of health care
 alcoholism treatment and reduction of, 367-379
 of mental illness and addictive disorders
 direct and indirect, 358
 regulation of drug and alcohol use and
 analysis of cost/benefit of, 399, 400
 of treatment for alcohol-abusing workers, 211-212, 269
- Criminalization of drug use, 334, 335
 health-centered policy *versus*, 334, 335
- Cue extinction in cocaine abuse treatment, 6-7

- Depression, posttreatment for alcoholism, 25, 27, 29
- Distribution systems for alcohol, state-controlled *versus* privatized, 282-283
- Drinking age, control policies and alcohol consumption, 281, 282
- Drinking behavior. *See also* Collaborative Alcohol-Related Longitudinal Project
- Drinking behavior, meta-analysis in longitudinal studies, 95-101. *See also* Collaborative Alcohol-Related Longitudinal Project
- Drinking outcomes, in spouse-involved alcohol dependence treatment, 50-52
- Drinking patterns and problems, in epidemiology of alcohol disorders, 80-81
- Drug abuse-primary care combination treatment, 12-13
- AIDS and tuberculosis in, 8-9
- case management in, 9-10
- research in, 9
- Drug control policy models, 332
- Drug culture in Rotterdam and Bronx
- commonalities in, 349-350
- differences in, 345-348, 349, 350
- Drug use
- in adolescence, predictive study of, 88-93. *See also* Substance use in adolescence
- cognitive motivation and, 169-187. *See also* Cognitive motivation and drug use
- as risk factor for teen pregnancy and abortion, 381-397
- abortion decision and, 393-394
- contraceptive use and, 383-384, 390-391, 393-394
- illicit drugs other than marijuana and, 393-394
- independent variables in study
- conventional behavior/delinquent activities, 387-388
- intervention implications of study, 395
- marijuana and, 394
- predictors of pregnancy, 390-392
- problem behavior *versus* developmental stage model and, 382-383
- sexual activity and, 390, 391, 393, 394
- substance use and, 390, 391-392, 393
- Drug use contexts and HIV consequences, 343-355
- Bronx
- client-perceived needs and public health goals in, 346-347
- economic instability and drug use/ sales, 348-349
- war on drugs policy and results, 348-349
- future research in practice and policy, 350-352
- in naturalistic phenomena, ethnographic, 350-351
- outreach strategies of harm reduction *versus* prohibition, 351
- versus* needle-sharing only, 344-345
- policy determinants of, 349-350
- Rotterdam
- drug sharing, supportive *versus* needle sharing, 345-346
- policy determinants in, 349
- social responsibility policy, control *versus* elimination, 347-348
- Electrophysiological markers in etiology of alcoholism, 136-137
- Emergent treatment concepts, 3-13, 65-67
- in cocaine abuse, 3-8, 65
- in drug abuse-primary care combination in, 8-10, 12-13, 66
- HIV prevention and, 10-11
- in opiate detoxification, 11-12
- Emotional disorders, adolescent substance use and, 93
- Environment
- alcoholism in women and, 189, 190
- twin study of risk for, 155-156
- family, in etiology of alcoholism, 140-141
- treatment
- patient perception of and posttreatment functioning, 25, 27, 31
- Epidemiology, psychiatric, contribution of alcohol disorders and studies in, 121-122
- Epidemiology of alcohol disorders, 71-86
- consumption questions in, 76, 77
- defined, 71
- future research, 81-83
- historical overview of, 77
- multifactorial, 71
- psychiatric, 74-75
- psychological and psychiatric lineage in, 72-73
- psychosocial, 74
- sociology in
- alcoholism symptoms in, 78-80
- drinking patterns and problems in, 80-81
- Etiology of alcoholism
- commentary on, 189-190, 191, 193-195
- familial risk and reduced responsibility, 141-142
- family environment, 140-141
- genetic linkage studies, 140
- genetic models in
- adoption studies, 131-132
- family history data, 130-131
- twin studies, 132
- heterogeneity in, clinical and genetic, 129-130, 194
- hypotheses in, 142-143
- markers for risk, 133-134
- neurocognitive variants in, 135-140
- markers, 135-136, 136-138
- neuropsychological indices, 139-140
- psychosocial reactivity, 138-139, 143
- nosological considerations in, 128-129
- phenotypic expression of, 193, 195
- prevalence and comorbidity in, 127-128
- research methodology in
- drug use and, 189-190
- risk quantification in, genetic and environmental, 128
- treatment and personality in, 134-135
- vulnerability and alcohol expectancies, 190-191
- Expectancy theory
- cognitive motivation and, 169-187. *See also* Cognitive motivation and drug use
- generalization in, 172-173, 183
- vulnerability to drug use and, 173, 181, 183-184, 190
- Expectancy-behavior relations theories in cognitive motivation and drug use, 171-172

- Family
 in etiology of alcoholism, 140-141
 in rational recovery program, 215
- Functioning
 independent in rational recovery program, 216
 posttreatment for alcoholism
 job, 265-267, 269
 long-term, 21-22, 25-29, 30-34
 in spouse-involved alcohol dependence treatment, 50, 54, 552-53
- Funding of research in mental illness and addictive disorders, 357-366. *See also* Mental illness and addictive disorders, research funding of
 federal, 362-364, 365, 366
 foundation, nonprofit, 364-365, 366
 industry, 360-365
 state, 360-364
- Genetic factors
 in etiology of alcoholism, 129-130, 140
 models, 130-132
 in sons of alcoholic father, 160-166. *See also* Sons of alcoholic father
 in women alcoholics, 140-141, 149-158, 189-190.
 See also Twin study of alcoholism in women
- Harm reduction
 as policy in alcohol/drug control, 334-338
 drug use consequences and, 337-338, 400
 prohibition and, 399
 research results in, 337-338
- Health care cost reduction with alcoholism treatment
 alcoholism treatment costs and, 373, 376
 demographics and, 372
 final ANOVA posttreatment costs, 375
 health insurance claims by treated and nontreated alcoholic
 employees of self-insured company, 369-370
 monthly costs
 average per capitas, 373
 pre/post total medical costs, 374
 summary and conclusions, 376-378
- HIV prevention education in addiction programs, 10-11, 12, 66
- Hospitalization of alcohol-abusing workers, 263, 264, 265, 267
- Inner child movement, 204-205
- Job performance, alcohol treatment and, 265-267, 269
- Labeling of alcoholic beverages for alcoholic content, 286-288
 effect on consumption, 287, 288
- Lay treatment of addictions. *See also* Self-help and self-directed change
 reviews of trends in, 206-212
 change applied to addictive behavior, 208-209
 self-help quit smoking interventions, 209-210
 social and cultural preconditions and strength of AA, 206-208
 treatment options for alcohol-abusing workers, 210-212
- Legalization model of alcohol/drug control, consequences of, 332, 333, 336-337
- Marijuana use and risk for teenage pregnancy and abortion, 394
- Mental illness and addictive disorders
 costs of, direct and indirect, 358
 research funding of, 357-366
 by Alcohol, Drug Abuse, and Mental Health Administration, 362, 365, 366
 by Defense Department, 364
 by Education Department, 363
 by Health and Human Services, 383
 by industry, 360, 365
 by Justice Department, 363-364
 by National Aeronautics and Space Administration, 364
 by National Science Foundation, 363
 over time, 362
 as percentage of health care costs, 361-362
 by private nonprofit foundations, 364-365, 366
 sources of, 361
 by states, 350, 364
 study methods and limitations, 358-360
 by Veterans Affairs Department, 363
- Minimum drinking age, effect on alcohol sales, 310, 317
- Mood
 in alcohol rehabilitation with naltrexone, 62-63
 effect on cocaine relapse, 41-42, 44
 questionnaire for, 38
- Mortality, predictors of, 10 years after alcohol treatment, 24-25, 30
- Motivation
 for abstinence, 213-214
 cognitive, 169-187. *See also* Cognitive motivation and drug use
 for treatment
 cocaine relapse and, 38-43, 67
 stages of change and, 67
- Naltrexone
 post-detoxification, 57-64
 adjunctive pharmacotherapy in, 58
 alcohol craving in, 61
 benefits of, 63
 blood chemistry in, 61
 drinking in, 62
 dropouts in, 60-61
 limitations of, 63-64
 psychopathological condition and mood in, 62-63
 relapse in, 62
 sociodemographics in, 60
 subjects and methods, 58-59
- Needle-sharing interventions versus drug use context interventions, 344-345
- Neurobehavioral markers in etiology of alcoholism, 135-136
- Neuropsychological indices in etiology of alcoholism, 139-140

- Occupations and alcohol abuse/dependence, 103-119,
122
models in
 motivational, 115, 116, 117
 social availability, 117
 social control, 116
 structural, 115, 116-117
prevalence of abuse/dependence in, 107-108
 adjusted, 113-114
 crude, 109-111
previous studies of
 alcohol-related physical illness, 105
 cirrhosis mortality statistics, 105
 population survey in, 105-107
 treated alcoholics, 104-105
results of, 109-114
review and analysis of, 107-117
 employment *versus* unemployment in, 114
 occupation in, 108-109
 working conditions and, 115, 116
- Offset (reduction in health care costs)
 alcoholism treatment and, 367-379. *See also* Health
 care cost reduction with alcoholism treatment
- Opiate detoxification, emergent concepts in, 11-12
- Outlet density and alcohol sales, 307-321
 alcohol-related problems and, 319-320
 economic activity and, 313, 318
 income and price and, 316-317, 319
 land area per adult and, 315-316
 minimum drinking age and, 310, 317
 policy implications of, 319-320
 previous studies of, 308-309
 social norms and, 310, 319
 of spirits, 313, 314, 318
 tax rates and, 318-319
 tourism and, 317
 of wine, 314, 315, 316, 318
- Outlets. *See also* Outlet density and alcohol sales
 regulation of and alcohol consumption
 density of, 283, 284, 285, 307-321
 sales hours and days and, 283-284, 285
 by state, 282, 283
 types of, 284, 285
- Personality, in etiology of alcoholism, 134-135
- Pharmacotherapy
 for alcohol abuse
 naltrexone hydrochloride, 57-64, 65
 for cocaine abuse, 4-6, 65
 in opiate detoxification, 11-12
- Policy: alcohol, 279-291. *See also* Alcohol control poli-
 cy(ies)
- Policy: alcohol and drugs, 331-341
 conclusion and future of, 338-339
 current status, 333-338
 harm reduction in, 335-336
 health-centered *versus* criminalization, 334-335
 prohibition/criminalization, 334, 335
 harm reduction research and
 alternatives to abstinence, 338
 in decriminalization of cannabis, 337
 social controls and tobacco use, 337-338
 historical overview, 331-333
 legalization, 332, 333
 prohibition, 332-333
 regulation, 332
- Policy: drug, effect on patterns of use and HIV conse-
 quences, 347-350. *See also* Drug use contexts
 and HIV consequences
- Prediction of functioning and mortality with alcohol
 dependence: 10 years posttreatment, 22-31. *See
 also* Alcohol abuse and dependence, posttreat-
 ment studies of
- Prevention research in alcohol control, active and pas-
 sive strategies, 325-327
- Price, alcohol sales and, 316-317, 318, 319
- Price and taxes, alcohol consumption and, 280-281
- Prohibition, effect on drug use consequences, 399-400
- Prohibition model of alcohol and drug control, 332,
 333, 334
 decriminalization and, 337
 illicit market consequences of, 336
- Psychiatric disorders, adolescent substance use and,
 88, 89, 90, 91
- Psychiatric factors in epidemiology of alcohol disor-
 ders, 74-75
- Psychophysiologic reactivity in etiology of alcoholism,
 138-149, 143
- Psychosocial factors in epidemiology of alcohol disor-
 ders, 72-73, 74
- Rational emotive behavior therapy, 212
- Rational recovery *versus* AA, 206-218, 275
 addictive voice recognition training in,
 217
 ambivalence *versus* denial in, 214-215
 client-treatment matching in, 218
 competence *versus* powerlessness in, 213
 course of recovery in, 217
 family noninvolvement and, 215
 versus illusion of denial, 214
 independent function in, 216
 insight orientation in, 217
 meeting format in, 215
 mode of recovery in, 213
 motivation to abstain in, 213-214
 versus one-day-at-a-time, 214
 purpose of, 212
 rational emotive therapy and, 212
 task orientation in, 216
- Regulation model of alcohol and drug control, 332
 consequences of, 336-337
- Regulation of drug and alcohol use, cost/benefit analy-
 sis of, 399, 400
- Relapse
 during addictive behavior modification, 249
 following cocaine rehabilitation, 35-45. *See also* Co-
 caine relapse posttreatment
 during naltrexone alcohol rehabilitation, 62
- Risk
 in etiology of alcoholism
 environmental, 155-156

- Risk (*continued*)
 familial, 141-142
 markers for, 133-134
- Self-help and self-directed change. *See also* Codependency; Rational recovery *versus* AA; Smoking cessation interventions
 Rational Recovery Self-Help Network *versus* AA and, 200, 212
 rational recovery *versus* AA, 206-218, 275
 in smoking cessation, 209-210
 12-step programs
 Adult Child of an Alcoholic *versus* Inner Child, 200-201
 backlash against, 219
 codependency, 201-204
 criticisms of, 205-206, 219, 274
 evolution of, 200-205
 inner child movement, 204-205
- Smoking cessation interventions, 231-244
 commentary on, 273-274
 discussion, 241-243
 outcomes of, 237-241
 printed materials in, 209, 234, 238, 241
 plus social support, 234, 243
 plus social support and telephone counseling, 234-235
 use and ratings of, 236-237
 social support instructions in, 209, 210, 238-239, 240, 242
 stages of change in, 210
 telephone counseling in, 209, 210, 239, 242-243
- Social availability of alcohol
 in alcohol control policies, 289-290
 in occupations and alcohol abuse/dependence study, 117
- Social control and substance use
 in occupations and alcohol abuse/dependence study, 116
 tobacco use and, 337-338
- Social support in smoking cessation, 234-235, 243
- Sociologic factors
 in epidemiology of alcohol disorders, 78-83
 in etiology of alcoholism
 alcoholism symptoms in, 78-80
 drinking patterns and problems in, 80-81
- Sons of alcoholic father
 chronic alcohol sensitization/tolerance in, 159-168
 alcohol dose in, 162
 analyses in, primary and casewise, 163-165
 commentary on, 190-191
 compared with sons of nonalcoholic father, 159-160
 context dependency in, 167
 heart rate and automaticity measures in, 162-163
 motor activity in, 163, 165, 166
 purpose of study, 159-161
 results of, 162-165
 subject selection and, 161-162
 temperamental differences in, 166-167
- State beverage control, effect on alcohol consumption, 282, 283
- Stress, effect on cocaine relapse, 42, 43, 44
- Substance use in adolescence. *See also* Drug use
 follow-up predictive study of
 attention-deficit disorder and, 93
 conduct disorder and, 92-93
 emotional disorder and, 93
 increase in, 92
 method in, 88-90
 patterns in early *versus* late adolescence, 90-91
 prevalence by sex, 90, 91
- Symptoms
 of alcoholism
 in epidemiology of alcohol disorders, 78-80
 physical
 effect on cocaine relapse, 43
 posttreatment for alcoholism, 25, 27
- Tax rates, alcohol sales and, 318-319
- Telephone counseling, plus social support, 209, 210, 239, 242-243
- Temperament and chronic alcohol sensitization/tolerance, 166-167
- Twelve-step programs. *See under* Self-help and self-directed change
- Twin study of alcoholism in women, 149-158
 correlation of liability in, 151-152
 environmental risk factors in, 155-156
 genetics and environment in, 152-153
 heritability estimates in, 155
 multiple threshold model in, 152, 153
 personal interview in, 151
 prevalence and probandwise concordance in, 153, 154
 results, 153
 sample in, 150
 statistical analysis of, 152
 tetrachoric correlation and fit in, 153-155
 zygosity information in, 150-151
- Warning labels on alcoholic beverages, 286-288, 293-305
 Alcoholic Beverage Labeling Act (Public Law 100-690, 1988) and, 294
 effect on consumption
 historical perspective on, 294-295
 sample and methodology, 295-297, 303-304
 knowledge associated with: 1990, 300-301, 304
 knowledge levels and
 differences: 1989 and 1990, 299-300, 301
 messages on current labels, 294, 296
 omitted, 296-297
 seen according to population, 297-299
- Workplace
 alcohol consumption and control policies, 281, 282

